ATTORNEY'S DOCKET NUMBER 2475/002628

10/009833

JC14 Rec'd PGT/PTO 17 DEC 2001

TRANSMITTAL LETTER TO THE UNITED STA

DESIGNATED/ELECTED OFFICE (DO/EO/US) **CONCERNING A FILING UNDER 35 U.S.C. 371**

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)

INTERNATIONAL APPLICATION NO. PCT/EP00/05542

INTERNATIONAL FILING DATE 16 June 2000

PRIORITY DATE CLAIMED 24 June 1999

TITLE OF INVENTION: THERAPEUTIC AGENTS

APPLICANT(S) FOR DO/EO/US David John HEAL

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

- This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 1. /X/
- This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 2.//
- 3. /X/ This express request to begin national examination procedures (35 U.S.C.371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
- A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 4. /x /
- 5. /X/ A copy of the International Application as filed (35 U.S.C. 371(c)(2)).
 - is transmitted herewith (required only if not transmitted by the International Bureau). a./X/
 - b.// has been transmitted by the International Bureau.
 - c.// is not required, as the application was filed in the United States Receiving Office (RO/US0).
- 6. /X/ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
- 7.11 Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)).
 - are transmitted herewith (required only if not transmitted by the International Bureau).
 - b.// have been transmitted by the International Bureau.
 - c.// have not been made; however, the time limit for making such amendments has NOT expired.
 - dJIhave not been made and will not be made.
- 8.// A translation of the amendments to the claims under PCT Article 19(35 U.S.C. 371(c)(3)).
- 9. /X / An oath or declaration of the inventor(s)(35 U.S.C. 171(c)(4)).
- 10.// A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).
- Items 11. to 16. below concern other document(s) or information included:
- 11./ / An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- 12./X / An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- 13./ / A FIRST preliminary amendment.
- A SECOND or SUBSEQUENT preliminary amendment. 11
- 14.// A substitute specification.
- A change of power of attorney and/or address letter. 15.//
- 16./x/ Other items or information. International Search Report International Preliminary Examination Report

A AND COMPLETE OF THE PROPERTY OF THE PROPERTY

U.S. Appln. No.	(If Known)		TIONAL APP	LN. NO.				CKET NO.
47 OV The fallows		PCT/EP0	0/05542		ALOU ATION		5/002628	DTO LICE ONLY
17. /X/ The following BASIC NATIONAL			\/1_(5\\·	<u>U</u>	ALCULATION	<u> </u>		PTO USE ONLY
Search Report ha			i)(i)=(O)).					
EPO or JPO			890.00		890.00		1	
				_				
International prefir (37 CFR 1.482))			1	
(5) (1) (1.402)			\$7 10.00				1	
No international p								
USPTO (37 CFR								
to USPTO (37 CF	R 1.445(a)(2))	\$740.0	0				
Neither internation	nal preliminary	v examinati	on fee					
(37 CFR 1.482) n								
(37 CFR 1.445(a)	(2)) paid to U	SPTO	\$ 1,04	0.00			1	
Im4 41 1 11		- - 1 3 6						
International prelir USPTO (37 CFR								
-visions of PCT A							1	
	, (, (.	,					'	
			C FEE AMOL		890.00			
Surcharge of \$13				tion				
later than // 20 / a claimed priority da			liest					
cialinea priority da	ile (37 CFR)	. 4 92(e)).						
Claims	Number F	iled	Number Extr	<u>ra</u>	Rate			
Total Claims	8	-20	2		X\$18.	050.00		
Indep.Claims Multiple depender	6 at claim/e)/if a	-3 ennlicable)	3		X\$84. +280.	252.00	ļ	
Multiple depender			CALCULATI	ON	= +200.	1,142,00		
Reduction of 1/2 f								
Verified Small Ent	tity statement							
(Note 37 CFR 1.9) <u>, 1.27, 1.28).</u>							
Overage for a	0400 San from			JBTOTAL		1,142.00		
Processing fee of translation later th								
earliest claimed p							1	
		ATIONAL			=	1,142.00		
Fee for recording								
The assignment r				te cover		40.00	,	
sheet (37 CFR 3.:		EES ENC			= \$	40.00 1,1 82.00		
	IOIALF	EES ENGI	LOSED		- 4	1,102.00	ţ	
				Am	ount to be			
					unded: \$			
				Cha	arged \$			
a./X/ A chec	k in the amou	int of \$ 1.1	82 to cover th	ne ahove fee	s is enclosed.			
2.70 71 0/100	in the direct	πιτ Οι Ψ <u>. 1, 1</u> ,	<u>92</u> . 10 00101 1	ic above icc	.9 13 CHOID3CU.			
b.// Please is enclose		eposit Acc	ount No	in the am	nount of \$	to cover t	he above fo	ees. A duplicate copy of this sheet
			ithorized to cho cate copy of th			ich may be ı	required, or	r credit any overpayment to Deposit
NOTE: Where as be filed and grant					495 has not be	en met, a p	etition to re	evive (37 CFR 1.137(a) or (b) must
						1 les	Sal R	5 Keil
SEND ALL CORI	RESPONDE	NCE TO:				SIGNA	TURE	
KEIL & WEINKA	UF							
1101 Connecticut							t B. Keil	
Washington, D. C	. 20036					NAME Registra	ition No. 1	8.967

TRANSMITTAL LETTER TO THE UNITED STATES

ATTORNEY'S DOCKET NUMBER 2475/002628

DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. APPLICATION NO. (If known, see 37 CFR 1.5).

CONCE	RNING A FILI	NG UNDER 35 U.	S.C. 371	U.S. APPLICAT	FION NO. (If known, see 37 CFR 1.5)	
	ATIONAL AP 00/05542	PLICATION NO.	INTERNATIONAL 16 June		PRIORITY DATE CLAIMED 24 June 1999	
TITLE C	F INVENTION	N: THERAPEUT	C AGENTS			
APPLIC	ANT(S) FOR I	DO/EO/US Davi	d John HEAL			
	nt herewith sub ad other inform		States Designated/E	lected Office (DC	D/EO/US) the following	
1. /X/	This is a FIF	RST submission o	fitems concerning a	filing under 35 U.	S.C. 371.	
2.//	This is a SE	COND or SUBSE	QUENT submission	of items concern	ing a filing under 35 U.S.C. 371.	
3. /X/					J.S.C.371(f)) at any time rather than delay examination PCT Articles 22 and 39(1).	until
4. /x /	A proper De	mand for Internati	onal Preliminary Exa	mination was mad	le by the 19th month from the earliest claimed priority of	late.
5. /X/	A copy of th	e International App	olication as filed (35	U.S.C. 371(c)(2)).		
	b.// h	as been transmitte	d by the Internationa	l Bureau.	the International Bureau). States Receiving Office (RO/US0).	
6. /X/	A translation	of the Internation	al Application into Er	nglish (35 Ú.S.C.	371(c)(2)).	
7.//	Amendment	s to the claims of	the International App	lication under PC	T Article 19 (35 U.S.C. 371(c)(3)).	
	b.// h c.// h	ave been transmitt ave not been made	ed by the Internation	al Bureau. Imit for making su	y the International Bureau). uch amendments has NOT expired.	
8. / /	A translation	of the amendmer	its to the claims und	er PCT Article 19((35 U.S.C. 371(o)(3)).	
9. /X /	An oath or o	eclaration of the ir	ventor(s)(35 U.S.C.	171(c)(4)).		
10.//	A translation	of the annexes to	the International Pre	eliminary Examina	tion Report under PCT Article 36 (35 U.S.C. 371(c)(5))).
Items 11	I. to 16. below	concern other doc	ument(s) or informat	ion included:		
11./ /	An Informat	ion Disclosure Sta	tement under 37 CF	R 1.97 and 1.98.		
12./X /	An assignm	ent document for i	recording. A separat	e cover sheet in c	ompliance with 37 CFR 3.28 and 3.31 is included.	
13./ / //		eliminary amendm or SUBSEQUEN	ent. T preliminary amend	ment.		
14.//	A substitute	specification.				
15 / /	A change of	nower of attorney	and/or address lette	r		

15.// A change of power of attorney and/or address letter.

16./x/ Other items or information. International Search Report International Preliminary Examination Report

U.S. Appln. No. (If Known	i) INTERNATIONAL APP PCT/EP00/05542	LN. NO.			IEY'S DOCKET NO. /002628	
17. /X/ The following fees a		CAL	CULATIO		PTO USE O	NI V
BASIC NATIONAL FEE (3)		<u>OAL</u>	JULATIO	110	F10 03L 0	NL I
Search Report has been pre						
EPO or JPO			890.00)		
					,	
International preliminary exa	mination fee paid to USPTO					
(37 CFR 1.482)	\$710.00					
					,	
No international preliminary						
	t international search fee pai					
to USP 10 (37 CFR 1.445(a	3)(2))\$740.00)				
Maille a intermetion of continuity						
Neither international prelimin						
(37 CFR 1.482) nor internat	o USPTO\$ 1,040				1	
(57 CFK 1.445(a)(2)) paid to	3 USP 1 U 1,040	7.00				
International preliminary exa	mination fee haid to					
USPTO (37 CFR 1.482) an						
-visions of PCT Article 33(2)-(4) \$100.00				1	
	, (,,				ı	
ENTER APPROF	PRIATE BASIC FEE AMOU	NT = \$	890.00			
	rnishing the oath or declarati					
later than //20//30 months		,				
claimed priority date (37 CF	R 1.492(e)).					
, , ,	. ,,					
<u>Claims</u> <u>Number</u>	er Filed Number Extra	3	Rate			
		_				
Total Claims 8	-20		X\$18.			
Indep.Claims 6	-3 3		X\$84.	252.00	1	
Multiple dependent claim(s)	if applicable)		+280.			
TOTAL	OF ABOVE CALCULATION	ON	=	1,142,00	1	
Reduction of 1/2 for filing by	small entity, if applicable.					
Verified Small Entity statement						
(Note 37 CFR 1.9, 1.27, 1.2		DTOTAL	_	4.440.00		
Proposing for of \$120 for		BTOTAL	=	1,142.00		
Processing fee of \$130. for translation later than / /20 /	(20 months from the					
earliest claimed priority date	(37 CED 4 402(6)					
	(37 CFR 1.492(f)). + _ NATIONAL FEE			4 440 00	1	
	ed assignment (37 CFR 1.2	(/5))	=	1,142.00		
The assignment must be ac	companied by an appropriate	(II)).				
sheet (37 CFR 3.28, 3.31) \$	40 00 per property =	COVE		40.00	1	
TOTAL	FEES ENCLOSED		= \$	1.182.00	1	
1014	. TELO ENOLOGED		- 4	1,102.00		
		Amount	to be			
		refunde				
		Charge				
a./X/ A check in the arr	nount of \$ <u>1,182</u> . to cover the	above fees is	enclosed.			
b.// Please charge my is enclosed.	Deposit Account No	_in the amount	of \$	to cover the	e above fees. A duplicate	copy of this sheet
c./X/ The Commissione Account No. <u>11-0</u>	er is hereby authorized to char 345. A duplicate copy of this	ge any addition s sheetis enclo	al fees wh sed.	ich may be re	quired, or credit any over	payment to Deposit
NOTE: Where an appropria	te time limit under 37 CFR 1	.494 or 1.495 l	has not be	en met, a peti	ition to revive (37 CFR 1	.137(a) or (b) must
be filed and granted to restor	e the application to pending	status.		1/21	ILR Koil	
SEND ALL CORRESPOND	ENCE TO:			SICNIATI	IDE / COC	
KEIL & WEINKAUF	<u> </u>			SIGNAT	UNE	
1101 Connecticut Ave., N.W.	<i>!</i> .			Herbert B	R Keil	
Washington, D. C. 20036	•			NAME	J. 1\GH	
<u> </u>					on No. 18,967	

10

15

20

25

1

Therapeutic Agents

This invention relates to a method for treating and preventing co-morbid conditions associated with obesity and to products and pharmaceutical compositions suitable for use in such a method. More particularly, the invention relates to a method for the treatment of co-morbid conditions associated with obesity by the administration of sibutramine or a salt or a metabolite thereof and orlistat and to products and compositions containing such compounds.

Sibutramine hydrochloride monohydrate and orlistat are both currently being developed for use in the treatment of obesity. The two compounds, however, achieve weight loss through entirely different mechanisms.

Sibutramine is a 5-hydroxytryptamine and noradrenaline reuptake inhibitor *in vivo* (Buckett, W.R., Thomas, P.C. & Luscombe, G.P. (1988). Prog. Neuro-Psychopharmacol. Biol. Psychiat. 12, 575-584 and Luscombe, G.P., Hopcroft, R.H., Thomas, P.C. & Buckett, W.R. (1989). Neuropharmacology, 28, 129-134.) Studies have shown that it reduces body weight by a dual mode of action; it decreases food intake by enhancing satiety (Fantino, M. & Souquet, A.-M. (1995). Int. J. Obesity, 19, 145; Halford, J.C.G., Heal, D.J. & Blundell, J.E. (1995). Brit. J. Pharmacol. 114, 387P; and Stricker-Krongrad, A., Souquet, A.-M. & Burlet, C. (1995). Int. J. Obesity, 19, 145.), and it increases energy expenditure by stimulating thermogenesis (Connoley, I.P., Heal, D.J. & Stock, M.J. (1995). Brit. J. Pharmacol. 114, 388P; and Connoley, I.P., Frost, I., Heal, D.J. & Stock, M.J. (1996). Brit. J. Pharmacol. 117, 170P).

Orlistat inhibits lipase enzymes which are responsible for breaking down ingested fat (Borgstrom, B. (1988). Biochem. Biophys. Acta. <u>962</u> (3), 308-316); as a consequence of this, unabsorbed fat is egested in the faeces.

It has been reported that orlistat should not be combined with appetite suppressants (The New York Times May 15 1997). Surprisingly, it has now been found that co-administration of sibutramine hydrochloride monohydrate and orlistat results in beneficial effects with respect to weight-loss.

30

HILL

10

15

20

Accordingly, the present invention provides a method for the treatment of comorbid conditions associated with obesity in a human in need of such treatment which comprises administration to the human of a therapeutically effective amount of a compound of formula I

including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl, and a therapeutically effective amount of a compound of formula Π

wherein the compound of formula I and the compound of formula II are administered simultaneously, separately or sequentially.

The present invention may provide the following advantages. Firstly, the beneficial effect achieved is greater than that achieved by the sole administration of either a compound of formula I or compound II. Secondly, a synergistic effect is achieved in which the benefit obtained by the administration of a compound of formula I and the compound of formula II to a first test group is greater than the total benefit achieved by administration of the compound of formula I to a second test group and the benefit achieved by administration of compound II to a third test group. Thirdly, when the benefit obtained after administration of either a compound of formula I or the compound II has reached a plateau, a further benefit is achieved by administering the other compound. Fourthly, lower doses of the compound of formula I and the compound of formula II may be used in the present invention thus

5

10

15

20

25

30

reducing the side-effects associated with administration of a higher dose of each compound.

The term "co-morbid conditions associated with obesity" as used in this document means medical conditions known to those skilled in the art to be associated with obesity. The term includes but is not limited to the following: diabetes including non-insulin dependent diabetes mellitus, impaired glucose tolerance, hypertension, coronary thrombosis, stroke, depression, anxiety, psychoses (for example schizophrenia), tardive dyskinesia, drug addiction, drug abuse, cognitive disorders, Alzheimer's disease, cerebral ischaemia, obsessive-compulsive behaviour, panic attacks, social phobias, eating disorders such as bulimia, anorexia, snacking and binge eating, lipid syndromes, hyperglycaemia, hyperlipidaemia, and stress in mammals particularly humans.

In addition the present invention may be useful in the treatment or prevention of metabolic diseases and conditions arising therefrom, for example non exercise activity thermogenesis and increased metabolic rate, sexual dysfunction, sleep apnoea, premenstrual syndrome, urinary incontinence including stress incontinence, hyperactivity disorders, hiatial hernia and reflux esophagitis, pain, especially neuropathic pain, weight gain associated with drug treatment, chronic fatigue syndrome, osteoarthritis and gout, cancers associated with weight gain, menstrual dysfunction, gallstones, orthostatic hypotension and pulmonary hypertension.

The present invention may be useful in preventing cardiovascular disease, and in reducing platelet adhesiveness, in aiding weight loss after pregnancy, reducing the craving to smoke and in aiding weight loss after smoking cessation. The present invention may also be useful in lowering uric acid levels and lipid levels in mammals particularly humans.

A preferred compound of formula I is N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N,N-dimethylamine or a salt thereof, for example the hydrochloride salt, known as sibutramine hydrochloride. A preferred form of this hydrochloride is its monohydrate, known as sibutramine hydrochloride monohydrate.

10

15

20

25

4

The preparation and use of compounds of formula I, such as N-{1-{1-(4chlorophenyl)cyclobutyl]-3-methylbutyl}-N,N-dimethylamine and salts thereof, in the treatment of depression is described in British Patent Specification 2098602. The use of compounds of formula I such as N-{1-[1-(4-chlorophenyl)cyclobutyl]-3methylbutyl}-N,N-dimethylamine and salts thereof in the treatment of Parkinson's disease is described in published PCT application WO 88/06444. The use of N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl]-N,N-dimethylamine and salts thereof in the treatment of cerebral function disorders is described in US Patent 4939175. The N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N,N-dimethylamine use hydrochloride in the treatment of obesity is described in European Patent Number A particularly preferred form of this compound is N-{1-[1-(4chlorophenyl)cyclobutyl]-3-methylbutyl}-N,N-dimethylamine hydrochloride monohydrate (sibutramine hydrochloride monohydrate) which is described in European Patent Number 230742. The use of N-{1-[1-(4-chlorophenyl)cyclobutyl]-3methylbutyl}-N,N-dimethylamine and salts thereof for improving the glucose tolerance of humans having Impaired Glucose Tolerance or Non-Insulin Dependent Diabetes Mellitus is described in published PCT application WO95/20949.

The compound of formula II has the chemical name (2S, 3S, 5S)-5-[(S)-2-formamido-4-methylvaleryloxy]-2-hexyl-3-hydroxyhexadecanoic acid lactone. It is also known as "N-formyl-L-leucine, ester with (3S, 4S)-3-hexyl-4-[(2S)-2-hydroxy-tridecyl]-2-oxetanone", (-)-tetrahydrolipstatin, tetrahydrolipistatin, and orlistat.

The extraction and use of orlistat in the control or prevention of obesity and hyperlipaemia is described in US Patent 4598089 (Hoffmann-La Roche Inc.). A process for the preparation of orlistat is described in US Patent 4983746 (Hoffmann-La Roche Inc.). A composition comprising orlistat and acarbose is described in EP638317 (Hoffmann-La Roche AGF).

It will be appreciated by those skilled in the art that compounds of formula I contain a chiral centre. When a compound of formula I contains a single chiral centre it may exist in two enantiomeric forms. The present invention includes the use of the individual enantiomers and mixtures of the enantiomers. The enantiomers may be resolved by methods known to those skilled in the art, for example by formation of

11.00

5

10

15

20

25

diastereoisomeric salts or complexes which may be separated, for example, by via formation of diastereoisomeric derivatives which may be crystallisation; separated, for example, by crystallisation, gas-liquid or liquid chromatography; selective reaction of one enantiomer with an enantiomer-specific reagent, for example enzymatic oxidation or reduction, followed by separation of the modified and unmodified enantiomers; or gas-liquid or liquid chromatography in a chiral environment, for example on a chiral support, for example silica with a bound chiral ligand or in the presence of a chiral solvent. It will be appreciated that where the desired enantiomer is converted into another chemical entity by one of the separation procedures described above, a further step is required to liberate the desired enantiomeric form. Alternatively, specific enantiomers may be synthesised by asymmetric synthesis using optically active reagents, substrates, catalysts or solvents, or by converting one enantiomer to the other by asymmetric transformation. Enantiomers of secondary and tertiary amines of formula I can also be prepared by preparing the primary amine racemate, resolving this mixture into its individual enantiomers and then converting the relevant optically pure primary amine enantiomer into the desired secondary or tertiary amine product.

Preferred compounds of formula I are N-{1-[1-(4-chlorophenyl)cyclobutyl]-3methylbutyl}-N,N-dimethylamine, N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N-1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutylamine methylamine, and individual enantiomers and mixtures thereof, and including racemates, pharmaceutically acceptable salts thereof. Specific enantiomers of formula 1 are (+)-N-{1-[1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-N,N-dimethylamine, (-)-N-{1-[1-(4cyclobutyl]-3-methylbutyl}-N,N-dimethylamine, $(R)-(+)-N-{1-[1-(4$ chlorophenyl) cyclobutyl]-3-methylbutyl}-N-methylamine, (S)-(-)-<u>N</u>-{1-[1-(4chlorophenyl) (R)-(+)-1-[1-(4-chlorochlorophenyl)cyclobutyl]-3-methylbutyl}-N-methylamine, phenyl)cyclobutyl]-3-methylbutylamine and (S)-(-)-1-[1-(4-chlorophenyl)cyclobutyl]-3methylbutylamine.

30

In the method of the present invention a compound of formula I and the compound of formula II may be administered concomitantly or concurrently, for example in the form of separate dosage units to be used simultaneously, separately or sequentially.

10

15

20

In another aspect the present invention provides a compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl and the compound of formula II for simultaneous, separate or sequential use for the treatment of co-morbid conditions associated with obesity.

In yet another aspect the present invention provides a compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl and the compound of formula II as a combined preparation for simultaneous, separate or sequential use for the treatment of comorbid conditions associated with obesity.

In a further aspect the present invention provides a product containing a compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl and the compound of formula II as a combined preparation for simultaneous, separate or sequential use for the treatment of co-morbid conditions associated with obesity.

In yet another aspect the present invention provides the use of a compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl in the manufacture of a medicament for the treatment of co-morbid conditions associated with obesity in a patient who is also receiving treatment with orlistat.

In a further aspect, the present invention provides a method of treating comorbid conditions associated with obesity comprising the administration of an adjunctive therapy comprising a therapeutically effective amount of a compound of formula I and orlistat to a patient in need thereof.

The invention also provides the use of the above combination of drugs in the manufacture of a medicament for the treatment of co-morbid conditions associated with obesity. Additionally, it provides the combination for use in the treatment of co-morbid conditions associated with obesity.

30

10

15

20

25

The amount of each compound to be administered will depend on a number of factors including the age of the patient, the severity of the condition and the past medical history of the patient and always lies within the sound discretion of the administering physician but it is generally envisaged that the dosage of the compound of formula I to be administered will be in the range 0.1 to 50 mg preferably 1 to 30 mg per day given in one or more doses and more preferably 10 mg, 15 mg, 20 mg, 25 mg or 30 mg per day and most preferably 20 mg. The dosage of orlistat to be administered will be in the range of 50 to 1440 mg given in one or more doses, preferably three times daily, more preferably in the range of 120 to 720 mg and most preferably in the range of 120 to 360 mg. The compound of formula I, preferably sibutramine hydrochloride monohydrate, may be administered in any of the known pharmaceutical dosage forms. Orlistat is preferably administered orally.

In a preferred aspect of the present invention sibutramine hydrochloride monohydrate is administered once daily, preferably first thing in the morning, and orlistat is administered three times daily either with or before meals. Preferably the dose of sibutramine hydrochloride monohydrate is 20 mg or 30 mg administered once daily and the dose of orlistat is 120 mg administered three times daily either with or before meals. Most preferably the dose of sibutramine hydrochloride monohydrate is given prior to the first dose of orlistat, preferably in the range of 30 minutes to 3 hours, for example 30 minutes, 1 hour, 1.5 hours, 2 hours, 2.5 hours or 3 hours, before the first dose of orlistat.

In another aspect of to the present invention there is provided a pharmaceutical composition comprising a compound of formula I

including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl, and the compound of formula II

10

15

8

in conjunction with a pharmaceutically acceptable diluent or carrier.

Oral dosage forms are the preferred compositions for use in the present invention and these are the known pharmaceutical forms for such administration, for example tablets, capsules, granules, syrups and aqueous or oil suspensions. The excipients used in the preparation of these compositions are the excipients known in the pharmacist's art. Tablets may be prepared from a mixture of the active compounds with fillers, for example calcium phosphate; disintegrating agents, for example maize starch; lubricating agents, for example magnesium stearate; binders, for example microcrystalline cellulose or polyvinylpyrrolidone and other optional ingredients known in the art to permit tableting the mixture by known methods. The tablets may, if desired, be coated using known methods and excipients which may include enteric coating using for example hydroxypropylmethylcellulose phthalate. The tablets may be formulated in a manner known to those skilled in the art so as to give a sustained release of the compounds of the present invention. Such tablets may, if desired, be provided with enteric coatings by known methods, for example by the use of cellulose acetate phthalate. Similarly, capsules, for example hard or soft gelatin capsules, containing the active compound with or without added excipients, may be prepared by known methods and, if desired, provided with enteric coatings in a known manner. The contents of the capsule may be formulated using known methods so as to give sustained release of the active compound. The tablets and capsules may conveniently each contain 1 to 50 mg of the compound of formula! and 1 to 360 mg of orlistat.

25

20

Other dosage forms for oral administration include, for example, aqueous suspensions containing the active compounds in an aqueous medium in the presence of a non-toxic suspending agent such as sodium carboxy-methylcellulose,

and oily suspensions containing the active compounds in a suitable vegetable oil, for example arachis oil. The active compounds may be formulated into granules with or without additional excipients. The granules may be ingested directly by the patient or they may be added to a suitable liquid carrier (for example, water) before ingestion. The granules may contain disintegrants, eg an effervescent couple formed from an acid and a carbonate or bicarbonate salt to facilitate dispersion in the liquid medium.

The compounds of formula I and orlistat may be formulated into a composition which the patient retains in his mouth so that the active compounds are administered through the mucosa of the mouth.

Dosage forms of the compounds of formula I suitable for rectaladministration are the known pharmaceutical forms for such administration, for example, suppositories with cocoa butter or polyethylene glycol bases.

15

10

5

Dosage forms of the compounds of formula I suitable for parenteral administration are the known pharmaceutical forms for such administration, for example sterile suspensions or sterile solutions in a suitable solvent.

20

25

30

Dosage forms of the compounds of formula I for topical administration may comprise a matrix in which the pharmacologically active compounds of the present invention are dispersed so that the compounds are held in contact with the skin in order to administer the compounds transdermally. A suitable transdermal composition may be prepared by mixing the pharmaceutically active compound with a topical vehicle, such as a mineral oil, petrolatum and/or a wax, e.g. paraffin wax or beeswax, together with a potential transdermal accelerant such as dimethyl sulphoxide or propylene glycol. Alternatively the active compounds may be dispersed in a pharmaceutically acceptable cream, gel or ointment base. The amount of each active compound contained in a topical formulation should be such that a therapeutically effective amount of each compound is delivered during the period of time for which the topical formulation is intended to be on the skin.

The compounds of formula I may be formulated into a composition which is dispersed as an aerosol into the patients oral or nasal cavity. Such aerosols may be

4 10 0

117 "

5

10

15

20

25

30

administered from a pump pack or from a pressurised pack containing a volatile propellant.

The compound of formula I may also be administered by continuous infusion either from an external source, for example by intravenous infusion or from a source of the compound placed within the body. Internal sources include implanted reservoirs containing the compounds to be infused which is continuously released for example by osmosis and implants which may be (a) liquid such as an oily suspension of the compounds to be infused for example in the form of a very sparingly water-soluble derivative such as a dodecanoate salt or a lipophilic ester or (b) solid in the form of an implanted support, for example of a synthetic resin or waxy material, for the compounds to be infused. The support may be a single body containing all the compounds or a series of several bodies each containing part of the compounds to be delivered. The amount of active compounds present in an internal source should be such that a therapeutically effective amount of each compound is delivered over a long period of time.

In some formulations it may be beneficial to use the compounds of the present invention in the form of particles of very small size, for example as obtained by fluid energy milling.

In the compositions of the present invention the active compounds may, if desired, be associated with other compatible pharmacologically active ingredients. Optionally vitamin supplements may be administered with the compounds of the present invention.

Pharmaceutical compositions incorporating both a compound of formula I and orlistat are important embodiments of the present invention. Such pharmaceutical compositions contain a therapeutically effective amount of each of the compounds. Each dosage unit may contain the daily doses of both compounds, or may contain a fraction of the daily dose, such as one-third of the doses. Alternatively, each dosage unit may contain the entire dose of one of the compounds, and a fraction of the dose of the other compound. In such case, the patient would daily take one of the

combination dosage units, and one or more units containing only the other compound.

The use of compounds of the present invention in the manufacture of pharmaceutical compositions is illustrated by the following description. In this description the term "active compound" denotes either or both compounds of the invention unless otherwise stated.

a) Capsules

10

5

In the preparation of capsules, 10 parts by weight of active compound and 240 parts by weight of lactose are de-aggregated and blended. The mixture is filled into hard gelatin capsules, each capsule containing a unit dose or part of a unit dose of active compound.

15

b) Tablets

Tablets are prepared from the following ingredients.

		Parts by weight
20	Active compound	10
	Lactose	190
	Maize starch	22
	Polyvinylpyrrolidone	10
	Magnesium stearate	3

n opporte

25

30

The active compound, the lactose and some of the starch are de-aggregated, blended and the resulting mixture is granulated with a solution of the polyvinyl-pyrrolidone in ethanol. The dry granulate is blended with the magnesium stearate and the rest of the starch. The mixture is then compressed in a tabletting machine to give tablets each containing a unit dose or a part of a unit dose of active compound.

Enteric coated tablets

Tablets are prepared by the method described in (b) above. The tablets are enteric coated in a conventional manner using a solution of 20% cellulose acetate phthalate and 3% diethyl phthalate in ethanol:dichloromethane (1:1).

d) Suppositories (Compound of formula I only)

In the preparation of suppositories, 100 parts by weight of active compound is incorporated in 1300 parts by weight of triglyceride suppository base and the mixture formed into suppositories each containing a therapeutically effective amount of active ingredient.

15 Formulation 1

Hard gelatin capsules are prepared using the following ingredients:

	Quantity (mg/capsule)
Sibutramine hydrochloride monohydrate	20
Orlistat	120
Starch .	200
Magnesium stearate	10
Total	350

20 Formulation 2

A tablet is prepared using the ingredients below:

	Quantity (mg/tablet)
Sibutramine hydrochloride monohydrate	10
Orlistat	120
Microcrystalline Cellulose	400
Silica	10

	Quantity (mg/tablet)
Stearic acid	5
Total	545

The components are blended and compressed to form tablets each weighing 545 mg.

The advantages of the present invention may be demonstrated by animal models or clinical trials as known to those skilled in the art. Suitable animal models and methods for clinical trials may be found in:

- (1). "New Antidiabetic drugs" Eds CJ Bailey & PR Flatt 1990 Smith-Gordan and company Ltd, UK
 - (2). "Obesity" Eds P Bjorntorp & BN Brodoff, 1992, JB Lippincott Company, Philadelphia, USA and
 - (3). "Obesity: Trends and Treatments" S Parker 1996 Scrip Report, PJB Publications Ltd
- 15 and references therein.

Studies are performed in which a compound of formula I is administered to a first test group, a compound of formula II is administered to a second test group, a combination of a compound of formula I and a compound of formula II is administered to a third test group with appropriate controls to eliminate the effects of the dosing vehicles used.

A statistical analysis of the effects achieved in each group provides results demonstrating the advantage of the present invention.

11.11

10.10

14

Claims

1) A method for the treatment of co-morbid conditions associated with obesity in a human in need of such treatment which comprises administration to the human of a therapeutically effective amount of a compound of formula I

including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl, and a therapeutically effective amount of a compound of formula II

10

5

wherein the compound of formula I and the compound of formula II are administered simultaneously, separately or sequentially.

- 2) A method according to claim 1 in which the compound of formula I is <u>N</u>-{1-15 [1-(4-chlorophenyl)cyclobutyl]-3-methylbutyl}-<u>N,N</u>-dimethylamine or a salt thereof.
 - 3) A method according to claim 2 wherein the compound of formula I is administered 30 minutes to 3 hours prior to the administration of the compound of formula II.

20

4) A compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl and the compound of formula II for simultaneous, separate or sequential use for the treatment of co-morbid conditions associated with obesity.

and to take the

10

15

- 5) A compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl and the compound of formula II as a combined preparation for simultaneous, separate or sequential use for the treatment of co-morbid conditions associated with obesity.
- 6) A product containing a compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl and the compound of formula II as a combined preparation for simultaneous, separate or sequential use for the treatment of co-morbid conditions associated with obesity.
- 7) The use of a compound of formula I including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl in the manufacture of a medicament for the treatment of co-morbid conditions associated with obesity in a patient who is also receiving treatment with orlistat.
- 8) A pharmaceutical composition comprising a compound of formula I

20 including enantiomers and pharmaceutically acceptable salts thereof, in which R_1 and R_2 are independently H or methyl, and the compound of formula II

in conjunction with a pharmaceutically acceptable diluent or carrier.

the specification of which

Declaration, Power of Attorney

Page 1 of 3

2475/002628

We (I), the undersigned inventor(s), hereby declare(s) that:

My residence, post office address and citizenship are as stated below next to my name,

We (I) believe that we are (I am) the original, first, and joint (sole) inventor(s) of the subject matter which is claimed and for which a patent is sought on the invention entitled

THERAPEUTIC AGENTS

is attached l	ereto.	
] was filed on		as
Application	Serial No.	
and amende	d on	•
x] was filed as	PCT international application	
Number _	PCT/EP00/05542	
on _	June 16, 2000	
and was am	ended under PCT Article 19	
on		(if applicable).

We (I) hereby state that we (I) have reviewed and understand the contents of the above—identified specification, including the claims, as amended by any amendment referred to above.

We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.

We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119(a)—(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application(s)

Application No.	Country	Day/Month/Year	Priority Claimed
9914744.9	Great Britain	24 June 1999	[x] Yes [] No

uskpct001 - 25

(Application l	Number)	(Filing Date)
(Application	Number)	(Filing Date)
nternational application designation f this application is not disclosed in the paragraph of 35 LLS C & 112 L	ng the United States, listed below an in the prior United States or PCT Into acknowledge the duty to disclose info	nited States application(s), or § 365(c) of any d, insofar as the subject matter of each of the cernational application in the manner provided bormation which is material to patentability as derior application and the national or PCT Internation
	Filing Date	Status (pending, patented, abandoned)
iling date of this application.	Filing Date	
filing date of this application.	Filing Date	

And we (I) hereby appoint Messrs. HERBERT. B. KEIL, Registration Number 18,967; and RUSSEL E. WEINKAUF, Registration Number 18,495; the address of both being Messrs. Keil & Weinkauf, 1101 Connecticut Ave., N.W., Washington, D.C. 20036 (telephone 202–659–0100), our attorneys, with full power of substitution and revocation, to prosecute this application, to make alterations and amendments therein, to sign the drawings, to receive the patent, and to transact all business in the Patent Office connected therewith.

We (I) declare that all statements made herein of our (my) own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

David John Heal
NAME OF INVENTOR

Signature of Inventor

Date 21 November 2001

R3 Pennyfoot Street Nottingham, <u>NG1 1GF</u> Great Britain

Citizen of: Great Britain
Post Office Address: same as residence